Lab 2 Dissection Steps:

- □ Identify the sternocephalicus m. (2 parts: *mastoid* and occipital)
 - Transect the (left) sternocephalicus m. 2cm cranial to its origin on the sternum
- **I** Identify the **sternohyoideus** and **sternothyroideus mm**.
- □ Identify the **omotransversarius m**.
 - Transect omotransversarius through its middle and reflect both halves
- □ Identify the superficial cervical lymph nodes
- □ Identify deep fascia of neck (vs superficial), the carotid sheath, and the median raphe
- □ Identify the trapezius m. (2 parts: cervical and thoracic)
 - □ Transect both parts of trapezius with an arching cut and reflect it
- □ Identify the **rhomboideus m.** (3 parts: **capitis, cervicis,** and **thoracis**)
 - Transect all parts of the rhomboideus m. 1cm from the scapula
- □ Identify the **latissimus dorsi m**.
 - Transect latissimus dorsi 1cm caudal to the forelimb
- Abduct the left forelimb and sever all axillary vessels and nerves
 - Continue the forelimb abduction until the left forelimb is removed/peeled away from the thorax.
 - Transect serratus ventralis m. along the dorsal part of the scapula to completely remove the limb
- □ Identify serratus ventralis m. (2 parts: cervicis and thoracis)